JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 196, NUMBERS 1–2, MAY 24, 1993

Contents

Letters

Neutron diffraction investigation of V site preference in $RCo_{10}V_2$ compounds L1
O. Moze (Frascati, Italy), R. M. Ibberson (Didcot, UK) and K. H. J. Buschow (Eindhoven, Netherlands)

Crystal growth and in-plane thermopower of $Nd_{2-x}Th_xCuO_{4-\delta}$ L3
Z. Henkie and T. Cichorek (Wrocław, Poland)

Configuration of a large angle twist boundary in a bulk $YBa_2Cu_3O_{7-x}$ superconductor L7
W. Sha (London, UK)

Heat capacity of $UCuP_2$ and $UCuAs_2$ single crystals L11
A. Böhm, D. Kaczorowski, G. Weber and F. Steglich (Darmstadt, Germany)

Partial room temperature isothermal section of the Fe–Ho–Ni (Ho $\leqslant$ 33.3 at.%) system L15
X. Fang, H. Zhou, X. Ou and Y. Zhuang (Nanning, China)

Magnetic and phase transitions and HDDR processes in NdFeB-type alloys monitored by electrical resistivity measurements L19
O. Gutfleisch, M. Verdier and I. R. Harris (Birmingham, UK)

Regular Papers

Reactions of lithium hydride and beryllium hydride: thermal studies and identification of products 1
J. L. Maienschein, J. S. Bowers (Livermore, CA, USA), T. A. Beiter and J. S. Cantrell (Oxford, OH, USA)

The effect of annealing pretreatment of Pd–Rh alloys on their hydrogen solubilities and thermodynamic parameters for H_2 solution 7
H. Noh, W. Luo and T. B. Flanagan (Burlington, VT, USA)

Synthesis, characterization, spectroscopic and photophysical studies of ternary complexes of Eu(III) with 3-aminopyrazine-2-carboxylic acid (HL) and heterobiaryl ligands (2,2′-bipyridine and 1,10-phenanthroline) 17
G. F. De Sá, L. H. A. Nunes (Recife-Pe, Brazil), Z.-M. Wang and G. R. Choppin (Tallahassee, FL, USA)

$Tl_2Pt_5S_6$ – a new thioplatinate with a channel-type structure 25
K. O. Klepp (Linz, Austria)

Effect of dissolved hydrogen on the ductile properties of metals as a result of nucleation on dislocations 29
A. A. Bulbich (Rostov-on-Don, Russian Federation)

Thermally induced transition from metastable Ni–Nb hexagonal phase to amorphous and its thermodynamic interpretation 37
B. X. Liu, H. Y. Bai, Z. J. Zhang and Q. L. Qiu (Beijing, China)

Liquid phase interaction of lithium with potassium–mercury graphite intercalation compounds 41
I. A. Udod, M. V. Gnatenko and H. B. Orman (Moscow, Russian Federation)

Structural changes of the Laves phase $ErFe_2$ during static and cyclic hydrogenation treatments 45
H.-J. Ahn, Y.-G. Kim and J.-Y. Lee (Taejon, South Korea)

Thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry 53
H. Bittermann, K. Kopecky and J. Tomiska (Wien, Austria)

Gas phase reactions during simultaneous boronizing and aluminizing of steels 59
Z. Zakhariev and R. Petrova (Sofia, Bulgaria)

Hydriding properties of $MmNi_5$ system with aluminium, manganese and tin substitutions 63
R. Balasubramaniam, M. N. Mungole and K. N. Rai (Kanpur, India)

Reaction kinetics of N_2 absorption by Sm_2Fe_{17} 71
H.-H. Uchida, H. Uchida, T. Yanagisawa, S. Kise, T. Suzuki, Y. Matsumura, U. Koike, K. Kamada (Kanagawa, Japan), T. Kurino and H. Kaneko (Tokyo, Japan)

Investigations on electronically conducting oxide systems XXVI. Preparation and properties of Ni_6MnO_8 and $NiMnO_{3-\delta}$ ($\delta \approx 0.02$) 75
A. Feltz and J. Töpfer (Jena, Germany)

Elsevier Sequoia

On the uranyl luminescence in phosphates 81
M. E. Azenha and G. Blasse (Utrecht, Netherlands)

New transuranium intermetallic compounds with $ThCr_2Si_2$- and $CaBe_2Ge_2$-type structures 87
F. Wastin, J. Rebizant, J. C. Spirlet, C. Sari, C. T. Walker and J. Fuger (Karlsruhe, Germany)

Corrosion resistance of B_4C–Me_xB_y composite materials 93
D. D. Radev, Z. T. Zakhariev (Sofia, Bulgaria) and M. A. Marinitch (Kiev, Ukraine)

Microstructure and properties of titanium carbide and titanium carbide-based alloys obtained by tribochemical synthesis 97
A. A. Popovich (Vladivostok, Russian Federation)

The ternary system uranium–manganese–phosphorus: $U_2Mn_{12}P_7$ with $Zr_2Fe_{12}P_7$-type structure and isotypic phosphides $A_2Mn_{12}P_7$ ($A \equiv$ Sc, Sm, Gd–Lu, Th) and $U_2T_{12}P_7$ ($T \equiv$ Fe, Co, Ni) 105
W. Jeitschko, P. G. Pollmeier and U. Meisen (Münster, Germany)

Structure refinements of actinoid transition metal stannides $AnT_{2-x}Sn_{2-y}$ ($An \equiv$ Th, U; $T \equiv$ Co, Ni, Cu) with defect $CaBe_2Ge_2$-type structure 111
R. Pöttgen, J. H. Albering, D. Kaczorowski and W. Jeitschko (Münster, Germany)

Rietveld X-ray powder analysis of InBi crystalline structure at low temperatures 117
R. Kubiak and J. Janczak (Wrocław, Poland)

Crystal chemistry of the halite-related cation-deficient superstructure phase $Yb_{7+\delta}Se_8$ with $\delta = 0.24$ and its relation to YbSe 121
O. Greis, R. Ziel, V. Marx and T. Petzel (Hamburg, Germany)

Structural study of the hydrides $NiTiH_x$ ($x = 1.0$ and 1.4) 127
J. L. Soubeyroux, D. Fruchart (Grenoble, France), G. Lorthioir, P. Ochin and D. Colin (Vitry/Seine, France)

Magnetic phase transitions in TmB_{12} and HoB_{12} 133
I. Bařko, K. Flachbart, S. Maťaš (Košice, Slovak Republic), Yu. B. Paderno and N. Yu. Shicevalova (Kiev, Ukraine)

Approche cinétique de la réduction carbothermique du dioxyde de titane 137
P. Tristant et P. Lefort (Limoges, France)

RMX compounds formed by alkaline earths, europium and ytterbium
III. Ternary phases with $M \equiv$ Mg, Hg and $X \equiv$ Si, Ge, Sn, Pb 145
F. Merlo, M. Pani and M. L. Fornasini (Genova, Italy)

Correlations between superconducting properties and chemical homogeneity of samples in the $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ system 149
J. Hejtmánek, B. Chevalier, A. Tressaud, C. Brisson, J. Etourneau (Talence, France), M. Cassart and J. P. Issi (Louvain la Neuve, Belgium)

Sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process 155
C. N. Christodoulou and T. Takeshita (Saitama, Japan)

Sm_2Fe_{17}-nitride-based permanent magnets produced by rapid solidification 161
C. N. Christodoulou and T. Takeshita (Saitama, Japan)

Magnetic properties and resistivity of CeM_2X_2 compounds ($M \equiv$ Cu, Ni; $X \equiv$ Sn, Sb) 165
K. Kaczmarska (Katowice, Poland), J. Pierre (Grenoble, France), A. Slebarski (Katowice, Poland) and R. V. Skolozdra (Lviv, Ukraine)

Einkristallzüchtung und Strukturverfeinerung von $NaAu_2$ – ein neuer Syntheseweg für Alkalimetall–Gold-Verbindungen 171
U. Zachwieja (Dortmund, Deutschland)

Magnetic properties of the ternary uranium transition metal carbides $UCrC_2$, UCr_4C_4, UW_4C_4, $U_5Re_3C_8$ and U_2NiC_3 173
T. Vomhof, R. Pöttgen and W. Jeitschko (Münster, Germany)

The structural relaxation of $Cr_{65}Fe_{35}$ amorphous powder obtained by mechanical milling 177
S. K. Xia, E. Baggio-Saitovitch and F. C. Rizzo Assunção (Rio de Janeiro, RJ, Brazil)

^{57}Fe Mössbauer investigation of carbides $Gd_2Fe_{17}C_x$ 183
L.-S. Kong, L. Cao, B.-G. Shen, J.-G. Zhao (Beijing, China), H.-Y. Gong and Y.-L Chen (Wuhan, China)

Einkristallzüchtung und Strukturverfeinerung von KAu_5 und $RbAu_5$ 187
U. Zachwieja (Dortmund, Deutschland)

Reaction of uranium with ammonia 191
M. Katsura (Osaka, Japan) and H. Serizawa (Ibaraki-ken, Japan)

$Dy_{10.14}Mn_{12.86}C_{18}$, $Yb_{10.09}Mn_{12.91}C_{18}$ and other rare earth manganese carbides with a structure derived from that of α-Mn. 199
G. E. Kahnert and W. Jeitschko (Münster, Germany)

New ytterbium compounds with the $BaAl_4$ type of structure: crystal chemistry and magnetic properties of $Yb(Cu,Ag,Au,Pd,Pt)_xGa_{4-x}$ 207
Yu. N. Grin, M. Ellner (Stuttgart, Germany), K. Hiebl and P. Rogl (Wien, Austria)

Ion-driven permeation of deuterium in Fe–Ti alloys 213
W. M. Shu (Ibaraki-ken, Japan), Y. Hayashi (Fukuoka, Japan) and K. Okuno (Ibaraki-ken, Japan)

Transition from antiferromagnetism, through ferromagnetic spin fluctuations to the Kondo state in $UPd_{5-x}Au_x$ 219
V. H. Tran, Z. Żołnierek and R. Troć (Wrocław, Poland)

On new ternary aluminides LnPdAl and LnPtAl 225
F. Hulliger (Zürich, Switzerland)

Phase diagrams of ternary alloy systems at high pressure. 229
L. Song, H. Yang, P. Xiao, M. Zhao (Changchun, China), W. Zhou and Z. Shen (Beijing, China)

Calcium substitution in the $Y_2Ba_4Cu_7O_{15+\delta}$ superconducting phase 235
G. Triscone, M. François, J.-Y. Genoud, T. Graf, A. Junod (Geneva, Switzerland), C. Opagiste (Grenoble, France) and J. Muller (Geneva, Switzerland)

Zur Lumineszenz von biaktiviertem Yttriumorthoborat 241
D. Nötzold, G. Herzog and I. Eyßler (Greifswald, Deutschland)

Plasma thermal dissociation of Indian zircon 251
P. V. Ananthapadmanabhan, K. P. Sreekumar, K. V. Iyer and N. Venkatramani (Bombay, India)

Crystal structure of diguanidine hexachlorate tellurate(IV) 255
A. Waśkowska, J. Janczak and Z. Czapla (Wrocław, Poland)

Author Index 259

Subject Index 261